MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

PRODUCT NUMBER: 429

IDENTITY: CONQUER II 20A Revision Date: 01/18/2007

Section I

Manufacturer's Name: THREE G INDUSTRIAL SUPPLY * Telephone Numbers:

Address: P. O. BOX 3712 Emergency:

800/255-3924

VICTORIA Information: State: TX Zip Code: 77903 361/578-3200

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 2 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
CARBON DIOXIDE PROPANE/N-BUTANE	124-38-9 68476-47-8	5000 PPM 400 PPM	5000 PPM 400 PPM	N/A N/A	
					

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:N/ASpecific Gravity (water=1)0.81Vapor Pressure(mm Hg)<1</td>Melting Point:N/AVapor Density(AIR=1)>1Evaporation Rate:>1

Solubility in Water: 0% (Butyl Acetate=1)

Appearance and Odor: CLEAR SPRAY. CHERRY ODOR.

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used): >185 F TCC Flammable Limits: LEL:5 UEL: 10

Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER

Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS

Unusual Fire and Explosion Hazards: FLAMMABLE. CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING. MAY DEVELOP A FLAMMABLE ATMOSPHERE IN CONFINED AREAS.

Section V: REACTIVITY DATA PRODUCT NUMBER: 429

Stability: Unstable: Conditions to avoid:

Stable: X TEMPERATURES ABOVE 120 F, HOT SURFACES

Incompatibility (Materials to Avoid): STRONG OXIDIZERS, ALKALIES, ACIDS

Hazardous Decomposition or Byproducts: EXPOSURE TO RED HOT SURFACES MAY PRODUCE PHOSGENE, CARBON MONOXIDE AND HYDROGEN CHLORIDE GASES.

Hazardous Polymerization:

May Occur:

Will Not Occur: X

Conditions to Avoid: N/A

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Health Hazards (Acute and Chronic):

• INHALATION: MAY CAUSE DIZZINESS OR HEADACHE. WILL IRRITATE EYES.

SKIN: MAY CAUSE DRYNESS.

• INGESTION: MAY CAUSE NAUSEA, VOMITTING AND/OR DIZZINESS.

Carcinogenicity: NTP: NO IARC Monographs: NO OSHA Reg: NO

Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN.

Emergency and First Aid Procedures:

- INHALATION: REMOVE TO FRESH AIR AND CONSULT PHYSICIAN NEEDED.
- EYES: FLUSH WITH WATER FOR 15 MINUTES, SEE PHYSICIAN IF IRRITATION PERSISTS.
- SKIN: FLUSH WITH WATER.
- INGESTION: CONSULT PHYSICIAN IMMEDIATELY

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in Case Material is Released or Spilled:

• MOP OR WIPE UP SPILL.

Waste Disposal Method:

- DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.
- WRAP CONTAINERS AND PLACE IN TRASH COLLECTION.
- DO NOT PUNCTURE OR INCINERATE CONTAINER.

Precautions to be taken in handling and storing:

- STORE IN A COOL, DRY AREA.
- KEEP AWAY FROM HEAT, SPARKS, OR OPEN FLAME.
- EXPOSURE TO TEMPERATURES >120 F MAY CAUSE BURSTING.

Other Precautions:

• VAPOR MAY COLLECT IN LOW LYING AREAS.

Section VIII: CONTROL MEASURES

Respiratory Protection: USE ONLY IN A WELL VENTILATED AREA

Ventilation: Local Exhaust: ADEQUATE

Mechanical: N/A
Special: N/A
Other: N/A
Protective Gloves: N/A

Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.

Other Protective Clothing or Equipment: N/A

Work/Hygienic Practices: WASH HANDS AFTER USE