MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

PRODUCT NUME	3ER: 439						
IDENTITY: BLAST AWAY		20A	Revision Date:	ision Date: 01/18/2007			
Section I							
Manufacturer's Name: THREE G INDUSTRIAL SUPPLY * Telephone Numbers:							
Address: P. O. BOX 3712		12	Emergency: 800/255-3924				
VICTORIA				Information:			
	State:	TX Zip	o Code: 77903	361/578-3200			
HMIS CODES:	REACTIVITY	: 1	FLAMMABILITY: 1	HEALTH: 2	PERSONAL PROTECT: A		

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
CARBON DIOXIDE PROPANE/N-BUTANE	124-38-9 64742-47-8	5000 PPM 400 PPM	5000 PPM 400 PPM	N/A N/A	

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:	232 C	Specific Gravity (water=1)	0.81
Vapor Pressure(mm Hg)	.4	Melting Point:	N/A
Vapor Density(AIR=1)	6.2	Evaporation Rate:	>1
Solubility in Water:	0%	(Butyl Acetate=1)	
Appearance and Odor:	CLEAR SPRAY,	CHARACTERISTIC INSECTICIDE,	SOLVENT ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used): >165 F TCC Flammable Limits: LEL:N/A UEL: N/A Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER Special Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS

Unusual Fire and Explosion Hazards: CAUTION: CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 439

Stability:Unstable:Conditions to avoid:Stable:XTEMPERATURES ABOVE 120 F

Incompatibility (Materials to Avoid): SOME PLASTICS

Hazardous Decomposition or Byproducts: OXIDES OF CARBON.

Hazardous Polymerization:May Occur:Will Not Occur: XConditions to Avoid:N/A

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Health Hazards (Acute and Chronic):

- INHALATION: DIZZINESS. EXCESSIVE EXPOSURE MAY LEAD TO UNCONSCIOUSNESS.
- EYES: STRONG IRRITATION.
- SKIN: MILD IRRITATION, DEFATTING OF SKIN.
- INGESTION: NAUSEA, DIARRHEA, VOMITING.

Carcinogenicity: NTP: NO IARC Monographs: NO OSHA Reg: NO

Signs and Symptoms of Exposure: SEE HEALTH HAZARDS ABOVE

Medical Conditions Generally Aggravated by Exposure: EXCESSIVE EXPOSURE

MAY AGGRAVATE RESPIRATORY, CARDIOVASCULAR OR PULMONARY ILLNESSES.

Emergency and First Aid Procedures:

- INHALATION: REMOVE TO FRESH AIR.
- EYES: FLUSH RUNNING WATER THOROUGHLY FOR 10 MINUTES. IF IRRITATION PERSISTS, CONSULT PHYSICIAN.
- SKIN: WASH THOROUGHLY WITH SOAP & WATER.
- INGESTION: CONSULT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in Case Material is Released or Spilled:

• WIPE UP WITH RAG OR SOME ABSORBENT CLAY MATERIAL.

Waste Disposal Method:

- DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.
- DO NOT PUNCTURE OR INCINERATE CONTAINER.
- NOT REUSE CONTAINER.
- WRAP CONTAINERS AND PLACE IN TRASH COLLECTION.

Precautions to be taken in handling and storing:

- DO NOT USE OR STORE IN HEAT OR OPEN FLAMES.
- EXPOSURE TO TEMPERATURES >120 F MAY CAUSE BURSTING.

Other Precautions:

NONE

Section VIII: CONTROL MEASURES

Respiratory Protection: NONE Ventilation: Local Exhaust: SUFFICIENT Mechanical: N/A Special: N/A Other: N/A Protective Gloves: N/A Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED. Other Protective Clothing or Equipment: N/A Work/Hygienic Practices: WASH HANDS AFTER USE